

2013 Shed Materials List

Description	Qty.	Item
FOUNDATION		
Gravel	12	60-lb. bags of gravel
Beams	2	6x6 x 12' treated lumber
FLOOR		
Joists	2	2x6 x 12' treated lumber
Joists	10	2x6 x 10' treated lumber
Plywood	4	4' x 8' x 3/4" treated plywood
WALL FRAMING		
Bottom plates	2	2x4 x 10' treated lumber
Bottom plates	2	2x4 x 12' treated lumber
Top plates	4	2x4 x 12' SPF (spruce, pine, fir) lumber
Top plates	4	2x4 x 10' SPF lumber
Studs	60	2x4 x 92-5/8" SPF lumber
Header	2	2x4 x 8' SPF lumber
Bracing	6	2x4 x 16' SPF lumber
Siding	13	4' x 8' x 1/2" LP SmartSide 8" groove
ROOF FRAMING		
Rafters	22	2x4 x 8' SPF lumber
Bottom chord	7	2x4 x 10' SPF lumber
Gussets	1	4' x 8' x 1/2" OSB
Overhang	4	2x4 x 10' SPF lumber
Subfascia	2	2x4 x 16' SPF lumber
Roof sheathing	8	4' x 8' x 1/2" OSB
EXTERIOR SIDING AND TRIM		
Soffit	4	4' x 8' x 1/4" ply-bead plywood
Trim	15	1x6 x 16' LP SmartSide trim or similar
Trim	2	1x4 x 16' LP SmartSide trim or similar
Trim	4	1x3 x 16' LP SmartSide trim or similar
Trim	2	1" x 5-1/2" x 16' LP SmartSide trim or similar
Skirt	2	2x8 x 14' treated lumber
Skirt	2	2x8 x 12' treated lumber

WINDOWS

Window frames	2	1x4 x 10' pine
Window frames	2	1x4 x 8' pine
Window stops	2	1x2 x 8' pine
Window stops	2	1x2 x 10' pine
Window sill	1	2x4 x 10' SPF lumber
Barn sash	4	22" x 29" 4-lite wood barn sash

DOORS

Stiles	8	1x6 x 8' cedar or pine
Rails	6	1x6 x 6' cedar or pine
Panel	5	1x6 x 8' T&G cedar or pine
Barn sash	2	22" x 29" 4-lite wood barn sash

BRACKETS

Top and back	3	2x4 x 10' SPF lumber
Brace	1	2x10 x 10' SPF lumber

WINDOW BOXES

Brackets	1	2x8 x 8' cedar or pine
Planters	4	1x8 x 10' cedar or pine

ROOFING

Roof paper	2 rolls	No. 30 roofing paper
Starter shingles	34 lin. ft.	
Shingles	300 sq. ft.	
Cap shingles	34 lin. ft.	
Roofing nails	10 lbs.	1-1/4" roofing nails
Drip edge	8	10' lengths

HARDWARE

5 lbs.	8d galvanized box nails
2 lbs.	16d galvanized box nails
15 lbs.	16d sinkers (framing nails)
15 lbs.	8d sinkers (framing nails)
5 lbs.	2" ring shank siding nails
2 lbs.	4d galvanized box nails
2 lbs.	1-1/4" corrosion-resistant construction screws
2 lbs.	3" corrosion-resistant construction screws
6	5" corrosion-resistant construction screws

2 tubes	Construction adhesive
4 tubes	Caulk
4	10' lengths of 1-1/2" drip cap
8	2-1/2" galvanized butt hinges
4	Pairs of Stanley No. 1727 Storm Window Adjusters
6	8" gate hinges
2	Flush bolts
1	Entrance knob
1	Dummy knob